



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/826,475	04/16/2004	G. Glenn Henry	CNTR.2223	1510
23669	7590	10/17/2007		
HUFFMAN LAW GROUP, P.C. 1900 MESA AVE. COLORADO SPRINGS, CO 80906			EXAMINER ZEE, EDWARD	
			ART UNIT 2135	PAPER NUMBER
			NOTIFICATION DATE 10/17/2007	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PTO@HUFFMANLAW.NET

Office Action Summary

Application No.

10/826,475

Applicant(s)

HENRY ET AL.

Examiner

Edward Zee

Art Unit

2135

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 03 August 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date See Continuation Sheet.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

Continuation of Attachment(s) 3). Information Disclosure Statement(s) (PTO/SB/08), Paper No(s)/Mail Date :4/11/07, 5/02/07, 5/22/07, 5/23/07, 5/31/07, 6/22/07, 9/11/07.

DETAILED ACTION

1. This is in response to the amendments filed on August 3rd, 2007. Claims 1, 9, 13, 20, 26, 27 and 33 have been amended, Claims 1-33 are pending and have been considered below.

Specification

2. The amendments filed on August 3rd, 2007 have been considered and is effective at overcoming the previous objections to the specification. Therefore, the previous objections to the specification have been withdrawn.

Claim Objections

3. The amendments filed on August 3rd, 2007 have been considered and is effective at overcoming the previous claim objections. Therefore, the previous claim objections have been withdrawn.

Claim Rejections - 35 USC § 112

4. The amendments filed on August 3rd, 2007 have been considered and is effective at overcoming the previous 35 USC § 112 2nd paragraph rejections. Therefore, the previous claim rejections have been withdrawn.

Claim Rejections - 35 USC § 103

5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Art Unit: 2135

6. Claims 1-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yup et al. (2002/0191784) in view of Dhir et al. (2005/0084076).

Claim 1: Yup et al. discloses an apparatus for performing cryptographic operations, comprising:

a. a cryptographic instruction, received by a computing device as part of an instruction flow executing on said computing device, wherein said cryptographic instruction prescribes one of the cryptographic operations, and wherein said cryptographic instruction prescribes one of a plurality of cryptographic key sizes(*AES block cipher can use varying key lengths*) [page 4, paragraph 0045];

b. and execution logic, operatively coupled to said cryptographic instruction, configured to execute said one of the cryptographic operations, said execution logic comprising: a key size controller(*key expansion block*), configured to employ said one of a plurality of cryptographic key sizes during execution of said one of the cryptographic operations [page 3, paragraph 0028].

However, Yup et al. does not explicitly disclose performing these instructions on a microprocessor based platform.

Nonetheless, Dhir et al. discloses a similar apparatus and further discloses performing cryptographic instructions(*ie. program instructions*) to implement the Advanced Encryption Standard algorithm on a microprocessor based platform(*ie. FPGA*) [page 5, paragraph 0051].

Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to perform these instructions on a microprocessor based platform or any other platform in order to meet particular design requirements.

Claims 2 and 3: Yup et al. and Dhir et al. disclose an apparatus as in claim 1 above and Yup et al. further discloses that said one of the cryptographic operations further comprises an encryption

Art Unit: 2135

and decryption operation, said encryption operation comprising encryption of a plurality of plaintext blocks(*plurality of channels with input means*) to generate a corresponding plurality of ciphertext blocks(*plurality of channels with output means*) and said decryption operation comprising decryption of a plurality of ciphertext blocks(*plurality of channels with input means*) to generate a corresponding plurality of plaintext blocks(*plurality of channels with output means*) [page 2, paragraph 0017].

Claims 4-6: Yup et al. and Dhir et al. disclose an apparatus as in claim 1 above and Yup et al. further discloses that said one of a plurality of cryptographic key sizes comprises 128 bits, 192 bits and 256 bits [page 4, paragraph 0045].

Claim 7: Yup et al. and Dhir et al. disclose an apparatus as in claim 1 above and Yup et al. further discloses that said one of the cryptographic operations is executed according to the Advanced Encryption Standard (AES) algorithm [page 2, paragraph 0016].

Claim 8: Yup et al. and Dhir et al. disclose an apparatus as in claim 1 above and Yup et al. further discloses that said key size controller(*key expansion block*) is configured to interpret a key size field(*nk = key size*) within a control word which is referenced by said cryptographic instruction(*the key expansion block generates a single round key by performing a single key expansion operation for each round of the AES block cipher*) [page 3, paragraph 0028].

Claims 10-12: Yup et al. and Dhir et al. disclose an apparatus as in claim 1 above and Yup et al. further discloses that said cryptographic instruction implicitly references a plurality of registers, which include a first register, wherein contents of said first register(*plaintext storage registers*) comprise a first pointer to a first memory address, said first memory address specifying a first location in memory for access of a plurality of input text blocks upon which

Art Unit: 2135

said one of the cryptographic operations is to be accomplished [page 4, paragraph 0043]; and a second register(*cipher block output storage register*), wherein contents of said second register comprise a second pointer to a second memory address, said second memory address specifying a second location in said memory for storage of a corresponding plurality of output text blocks, said corresponding plurality of output text blocks being generated as a result of accomplishing said one of the cryptographic operations upon a plurality of input text blocks [page 4, paragraphs 0043-0044].

Claim 14: Yup et al. and Dhir et al. disclose an apparatus as in claim 10 above and Yup et al. further discloses that said plurality of registers comprises a fourth register(*cipher key storage register*), wherein contents of said fourth register comprise a third pointer to a third memory address, said third memory address specifying a third location in memory for access of cryptographic key data for use in accomplishing said one of the cryptographic operations [page 3, paragraph 0028].

Claim 15: Yup et al. and Dhir et al. disclose an apparatus as in claim 14 above and Yup et al. further discloses that said cryptographic key data comprises a cryptographic key comprising a number of bits according to said one of a plurality of cryptographic key sizes [page 4, paragraph 0045].

Claim 16: Yup et al. and Dhir et al. disclose an apparatus as in claim 14 above and Yup et al. further discloses that said cryptographic key data comprises a user-generated cryptographic key schedule(*round key algorithm*) [page 3, paragraph 0028]. The examiner notes that it is inherent for the key schedule to be stored in memory if the key expansion block uses it to generate round keys.

Art Unit: 2135

Claim 17: Yup et al. and Dhir et al. disclose an apparatus as in claim 10 above and Yup et al. further discloses that said plurality of registers comprises a fifth register, wherein contents of said fifth register comprise a fourth pointer to a fourth memory address, said fourth memory address specifying a fourth location in memory, said fourth location comprising said initialization vector location, contents of said initialization vector location comprising an initialization vector or initialization vector equivalent for use in accomplishing said one of the cryptographic operations [page 3, paragraph 0027]. The examiner notes that Yup et al. discloses operating the apparatus in CBC mode, which implies the use of initialization vectors. Thus, it is inherent for the initialization vectors to be stored in memory.

Claim 18: Yup et al. and Dhir et al. disclose an apparatus as in claim 10 above and Yup et al. further discloses that said plurality of registers comprises a sixth register, wherein contents of said sixth register comprise a fifth pointer to a fifth memory address, said fifth memory address specifying a fifth location in memory for access of a control word for use in accomplishing said one of the cryptographic operations, wherein said control word prescribes cryptographic parameters for said one of the cryptographic operations, and wherein said control word comprises: a key size field($nk = \text{key size}$), configured to specify said one of a plurality of cryptographic key sizes to be employed during execution of said one of the cryptographic operations(*the key expansion block generates a single round key by performing a single key expansion operation for each round of the AES block cipher*) [page 3, paragraph 0028]. The examiner notes that it is inherent for the control word to be stored in memory because the key expansion block uses it for generating a round key.

Art Unit: 2135

Claim 19: Yup et al. and Dhir et al. disclose an apparatus as in claim 1 above and Yup et al. further discloses that said execution logic comprises a cryptography unit, configured execute a plurality of cryptographic rounds on each of a plurality of input text blocks to generate a corresponding each of a plurality of output text blocks, wherein said one of a plurality of cryptographic key sizes is prescribed by a control word that is provided to said key size controller within said cryptography unit [page 1, paragraph 0004].

Claim 20: Yup et al. discloses an apparatus for performing cryptographic operations, comprising:

a. a cryptography unit within a device, configured to execute one of the cryptographic operations responsive to receipt of a cryptographic instruction within an instruction flow that prescribes said one of the cryptographic operations, wherein said cryptographic instruction also prescribes a key size to be employed when executing said one of the cryptographic operations(*AES block cipher can use varying key lengths*) [page 4, paragraph 0045];

b. and key size control logic(*key expansion block*), operatively coupled within said cryptography unit, configured to direct said device to employ said key size when performing said one of the cryptographic operations [page 3, paragraph 0028].

However, Yup et al. does not explicitly disclose performing these instructions on a microprocessor based platform.

Nonetheless, Dhir et al. discloses a similar apparatus and further discloses performing cryptographic instructions(*ie. program instructions*) to implement the Advanced Encryption Standard algorithm on a microprocessor based platform(*ie. FPGA*) [page 5, paragraph 0051].

Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to perform these instructions on a microprocessor based platform or any other platform in order to meet particular design requirements.

Claims 21-23: Yup et al. and Dhir et al. disclose an apparatus as in claim 20 above and Yup et al. further discloses that said key size comprises 128-bits, 192-bits and 256-bits [page 4, paragraph 0045].

Claim 24: Yup et al. and Dhir et al. disclose an apparatus as in claim 20 above and Yup et al. further discloses that said one of the cryptographic operations is executed according to the Advanced Encryption Standard (AES) algorithm [page 2, paragraph 0016].

Claim 25: Yup et al. and Dhir et al. disclose an apparatus as in claim 20 above and Yup et al. further discloses that said key size control logic(*key expansion block*) is configured to interpret a key size field($nk = \text{key size}$) within a control word which is referenced by said cryptographic instruction [page 3, paragraph 0028].

Claim 27: Yup et al. discloses a method for performing cryptographic operations in a device, the method comprising:

a. receiving a cryptographic instruction that prescribes cryptographic key size for employment during execution of one of a plurality of cryptographic operations(*AES block cipher can use varying key lengths*) [page 4, paragraph 0045];

b. and employing the cryptographic key size(*key expansion block uses "nk", the key size, to generate a round key*) when executing the one of the cryptographic operations [page 3, paragraphs 0028-0035].

However, Yup et al. does not explicitly disclose performing these instructions on a microprocessor based platform.

Nonetheless, Dhir et al. discloses a similar method and further discloses performing cryptographic instructions(*ie. program instructions*) to implement the Advanced Encryption Standard algorithm on a microprocessor based platform(*ie. FPGA*) [page 5, paragraph 0051].

Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to perform these instructions on a microprocessor based platform or any other platform in order to meet particular design requirements.

Claim 28: Yup et al. and Dhir et al. disclose a method as in claim 27 above and Yup et al. further discloses that said receiving comprises via a field($nk = \text{key size}$) within a control word that is referenced by the cryptographic instruction, specifying the cryptographic key size [page 3, paragraph 0028].

Claims 29-31: Yup et al. and Dhir et al. disclose a method as in claim 28 above and Yup et al. further discloses that said specifying comprises prescribing 128 bits, 192 bits and 256 bits as the cryptographic key size [page 4, paragraph 0045].

Claim 32: Yup et al. and Dhir et al. disclose a method as in claim 27 above and Yup et al. further discloses that said employing comprises executing the one of the cryptographic operations according to the Advanced Encryption Standard (AES) algorithm [page 2, paragraph 0016].

Claims 9, 26 and 33: Yup et al. and Dhir et al. disclose an apparatus as in claims 1, 20 and 27 above, but neither explicitly disclose that said cryptographic instruction is prescribed according to the x86 instruction format. However, it would have been obvious to one of ordinary skill in

Art Unit: 2135

the art at the time of invention to create the instructions in x86 format or any other format. One would have been motivated to do so in order to conform to the type of platform selected for implementation of the encryption/decryption device.

Claim 13: Yup et al. and Dhir et al. disclose an apparatus as in claim 10 above, but neither explicitly disclose that said plurality of registers comprises a third register, wherein contents of said third register indicate a number of blocks(*channels*) within a plurality of input text blocks(*plurality of channels*) [page 2, paragraph 0016]. However, it would have been obvious to one of ordinary skill in the art at the time of invention to store the number of blocks being encrypted or decrypted. One would have been motivated to do so in order recognize when the entire encryption or decryption process is complete.

Response to Arguments

7. Applicant's arguments filed on August 3rd, 2007 have been fully considered but they are not persuasive.

Regarding Claim 1: The Applicant argues that Yup et al. does not disclose cryptographic instructions. However, the Examiner respectfully disagrees and submits that while the exact term "cryptographic instructions" is not disclosed, Yup et al. does in fact teach cryptographic instructions(*ie. finite state machine controllers which controls the operation of the remaining portions of the circuit*) [page 3, paragraph 0025].

Furthermore, the Applicant argues that Yup et al. does not disclose cryptographic instructions received by a microprocessor. However, the Examiner submits that this is moot in view of the new ground of rejection.

Art Unit: 2135

Moreover, the Applicant argues that Yup et al. does not disclose prescribing a key size to be employed when executing the cryptographic operations. However, the Examiner respectfully disagrees and submits that Yup et al. discloses selecting between a plurality of key sizes(*ie. key length can be independently set to 128, 192 or 256 bits*) [page 4, paragraph 0045].

Additionally, the Applicant argues that Yup et al. does not disclose a key expansion block coupled to a cryptographic instruction. However, the Examiner respectfully disagrees and submits that Yup et al. does disclose this feature(*ie. under control of its respective FSM, each system channel transmits the stored cipher key to a key expansion block, the key expansion block then generates a single round key*) [page 3, paragraph 0028].

Regarding Claim 20: The Applicant's remarks regarding this claim have been discussed in Claim 1 above.

Regarding Claim 27: The Applicant's remarks regarding this claim have been discussed in Claims 1 and 20 above.

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

Art Unit: 2135


will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edward Zee whose telephone number is (571) 270-1686. The examiner can normally be reached on Monday through Thursday 9:00AM-5:00PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Y. Vu can be reached on (571) 272-3859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EZ
October 4, 2007



KIM VU
ELECTRONIC BUSINESS CENTER 2100
PATENT EXAMINER